



Greenside

Organic Range

Use

To correct nutrient deficiency and to improve plant health and tolerance of abiotic stress.

Crops

A wide range of crops including cereals, potatoes, brassicas, legumes, vegetables, lettuce and leafy salads.

Pack Size

5, 1000 litres

Function of Greenside

This specially formulated combination of highly available copper and zinc is designed to form a key part of an integrated crop management programme to boost crop health and maximise yield potential.



Analysis	w/w	w/v
Copper (Cu)	2.0%	2.5%
Zinc (Zn)	3.5%	4.5%
Sulphur (SO ₃)	7.5%	9.0%

◆ Directions for Use

Use Greenside when deficiency is diagnosed or as a regular maintenance treatment during periods of rapid growth and fruit, grain or root formation.

Apply at 0.5-1 L/ha, in a minimum of 200 L/ha water.

The spray tank should be filled with half the required water. After shaking the container, measure the required amount of Greenside and add to the tank whilst maintaining constant agitation. Add remaining water to correct dilution and spray.

Crop	Timing	Rate L/ha	Comments
Brassicas Lettuce and Leafy Salads	From 2-4 true leaves	1	Repeat at 1-4 week intervals if necessary
Carrots, parsnips or other root crops	From 3-4 true leaves	1	Repeat after 10-14 days
Cereals	End of tillering - GS30 Repeat at GS31	0.5-1	Tank mix with T0 and T1 fungicides
Legumes	From 6-8 true leaves	1	Repeat at 10-14 day intervals
Potatoes	From tuber initiation	0.5	Repeat at 7-10 day intervals in tank mix with blight fungicides
Other crops	As required	0.5-1	Repeat as necessary

◆ Notes

Do not apply when crop is under severe stress, or in adverse weather conditions.

For further information on compatibility and tank mixing refer to the web site www.omex.co.uk