

Blueberry

Feed Programme

	Establishment/ Post Pruning	Blossom	Leaf Development	Colour Change	Post Harvest/ Autumn Flower Bud Development
Newly Planted Bushes	Biomex Plus (2.5L/ha) x 1	Kelpak (3L/ha) CalMax Ultra (0.5L/ha) NA13 (0.1%) x 2	Bio 18 (1L/ha) Zynergy (0.25L/ha) NA13 (0.1%) x 2	Kelpak (3L/ha) CalMax Ultra (0.5L/ha) NA13 (0.1%) x 2	Micromex (1L/ha) NA13 (0.1%) x 1
2 Year + Bushes	Sulphomex (3L/ha) NA13 (0.1%) x 3 (Min of 600L water)	Kelpak (3L/ha) CalMax Ultra (0.5L/ha) NA13 (0.1%) x 2	Bio 18 (2L/ha) Zynergy (0.5L/ha) NA13 (0.1%) x 2	Kelpak (3L/ha) CalMax Ultra (1L/ha) NA13 (0.1%) x 2	Micromex (1L/ha) NA13 (0.1%) x 1
Soluble Feed Mix Options	O-Mix Blueberry mix 18-18-18+TE	O-Mix Blueberry mix 15-15-22.5+TE			Reduce feeding by end of August and stop feeding by mid- September



Contact Us

Scotland

Richard Cameron

T 07710 880171 E richardca@omex.co

England/Wales Horticulture

Joe Barfoot

1 07826 915270 E joeb@omex.com

Agronomist Fruit & Edibles Neil Holmes

T 07469 145998 E neilh@omex.co

